



Panic Exit Devices

ASSA ABLOY

The global leader in
door opening solutions

ASSA ABLOY Panic Exit Device

Features & Benefits

Panic Exit Devices AAED400 Series

Key features:

- Surface mounted, rim type
- Slim, neat design
- 500,000 cycles tested
- Fire rated for 3 hours

Benefits:

- Ease of installation
- Superior aesthetics
- High durability
- Suitable for fire rated doors
- External cylinder and lever option available

Standard & Certification

*UL 10C and ANSI
A156.3 Grade 1*

Technical details:

- Rim type push bar
- Half length, 1045mm as standard
- 304 stainless steel material
- For doors up to 1200 x 2400mm in standard
- Easy installation and adjustment
- Stainless steel or galvanized steel finish
- Compatible accessories
- Standard euro profile cylinder
- UL listed for fire exit hardware up to 3 hours
- Suitable for single leaf and double leaf doors
- With satin chrome external lever trim



Panic Exit Device - AAED400 Series

ASSA ABLOY

Panic Exit Device AAED401

ASSA ABLOY Exit Device 401:



- Panic exit device with central locking point - RIM
- Painted galvanized steel or stainless steel finish
- With AAET411SC external lever trim in satin chrome finish



Panic Exit Device AAED402

ASSA ABLOY Exit Device 402:


- Panic exit device with double locking points - RIM
- For standard door height 2400mm*
- Option available for 3000mm door height*
- Painted galvanized steel or stainless steel finish
- With AAET411SC external lever trim in satin chrome finish



Panic Exit Trim AAET411SC

ASSA ABLOY Panic Exit Trim 411:

- Panic exit trim in satin chrome finish



How to Order

Code example

AAED401P

Finish Code

SS - Stainless Steel
P - Painted

Locking Code

1 = Single-point locking
2 = Double-point locking

For 3000mm door height, please order AAED402P - 3000
or AAED402SS - 3000

ASSA ABLOY Panic Exit Device

Features & Benefits

Panic Exit Devices AAED500 Series

Key features:

- Surface mounted, rim type
- Slim, neat design
- 500,000 cycles tested

Benefits:

- Ease of installation
- Superior aesthetics
- High durability
- Suitable for fire rated doors
- External cylinder and lever option available

Technical details:

- Rim type push bar
- Full length, 1045mm as standard
- 304 stainless steel material
- For doors up to 1200 x 2400mm in standard
- Easy installation and adjustment
- Stainless steel or galvanized steel finish
- Compatible accessories
- Standard euro profile cylinder
- Suitable for single leaf and double leaf doors
- With satin chrome external lever trim




Panic Exit Device - AAED500 Series

ASSA ABLOY

Panic Exit Device AAED501

ASSA ABLOY Exit Device 501:



- Panic exit device with central locking point - RIM
- Painted galvanized steel or stainless steel finish
- Full length push bar



Panic Exit Device AAED502

ASSA ABLOY Exit Device 502:

- Panic exit device with double locking points - RIM
- Painted galvanized steel or stainless steel finish
- Full length push bar



How to Order

Code example

AAED501P 2400

Finish Code

S - Stainless Steel
P - Painted

Door height

2400 - 2400mm
3000 - 3000mm

Locking Code

1 = Single-point locking
2 = Double-point locking